Notice of Allowability	Application No.	Applicant(s)
	10/738,336	ANVARI, KIOMARS
	Examiner	Art Unit
	Blane J. Jackson	2618
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to		
2. The allowed claim(s) is/are		
 3. Acknowledgment is made of a claim for foreign priority uner a) All b) Some* c) None of the: 1. Certified copies of the priority documents have 2. Certified copies of the priority documents have 	been received.	·,
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) hereto or 2) to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
ldentifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s)	- -	
1. Notice of References Cited (PTO-892)	_	Il Patent Application (PTO-152)
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6.	
 Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date 		
4. Examiner's Comment Regarding Requirement for Deposit	8. 🛛 Examiner's State	ment of Reasons for Allowance
of Biological Material	9.	

Application/Control Number: 10/738,336 Page 2

Art Unit: 2618

DETAILED ACTION

Drawings

The corrected Drawings filed 13 April 2006 are accepted by the examiner.

Specification

The corrected Specification and Abstract filed 13 April 2006 are accepted by the examiner.

EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Kiomars Anvari on 18 July 2006.

The application has been amended as follows:

As to claim 1:

Line 5; -- and any other none wireless applications, -- is deleted and a comma is inserted to read – communication systems, the Crest Factor -- .

Line 9, after "input signal to" and before "amplifier," - an -- is inserted.

Line 11, a first and second, -- envelop - is deleted and -envelope - is inserted.

Application/Control Number: 10/738,336 Page 3

Art Unit: 2618

Line 25, -- pre-distort – is deleted and – pre-distorts – is inserted.

Line 27, -- prepare – is deleted and – prepares – is inserted.

Line 28, after "delivery to" and before "multi-carrier", -- an - is inserted.

Line 29, after "adaptively updates", -- the - is deleted and - an - is inserted.

Line 31, after "the inputs to" – the – is deleted and – an – is inserted.

Line 31, -- adjust – is deleted and – adjusts – is inserted.

This examiner's amendment was requested to correct two conditions for a lack of antecedent basis, minor spelling and syntax errors and the deletion of contradictory language in the preamble in claim 1.

Allowable Subject Matter

Claims 1-20 are allowed.

The following is an examiner's statement of reasons for allowance: the prior art made of record does not teach a wireless Crest Factor reduction and amplitude predistortion circuit for use with multi-carrier signals in a wireless communication system comprising a digital signal processing function that converts the amplitude clipped or limited multi-carrier baseband to baseband representative of individual carrier signals, a digital signal processing function that filters the baseband representative of individual carrier baseband signals to remove unwanted signal produced due to clipping or limiting the multi-carrier signal amplitude and a digital signal processing function that up converts the filtered baseband representative of each carrier to its original baseband frequency.

Conclusion

The prior art made of record and not relied upon but considered pertinent to applicant's disclosure includes: Cleveland et al. (US 2006/0140296), Laaser (US 2005/0069045) and Leung (US 2004/0234006).

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Blane J. Jackson whose telephone number is (571) 272-7890. The examiner can normally be reached on Monday through Friday, 9:00 AM-6:30 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Edward Urban can be reached on (571) 272-7899. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/738,336

Art Unit: 2618

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

BJJ

EDWARD F. URBAN
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 2600

Page 5